

Addir e subtrahar

•

Quenta ora.

$147 + 82 =$	$553 - 48 =$
$1.47 + 0.82 =$	$0.553 - 0.048 =$
$1.47 + 8.2 =$	$0.553 - 0.48 =$

••

Quenta ora.

$602.9 + 56.3 =$	$33.022 - 0.99 =$
$602.95 + 56.36 =$	$33.022 - 0.93 =$
$602.993 + 56.36 =$	$30.022 - 0.96 =$

•

Cumpletescha ils diembers avon il segn d'equaziun culs puncts decimals aschia che las equaziuns constattan.

$2\ 3\ 4\ 5 + 1\ 3\ 5\ 7 = 24.807$	$4\ 5\ 6\ 7 - 2\ 4\ 6\ 8 = 209.9$
$2\ 3\ 4\ 5 + 1\ 3\ 5\ 7 = 15.915$	$4\ 5\ 6\ 7 - 2\ 4\ 6\ 8 = 43.202$
$2\ 3\ 4\ 5 + 1\ 3\ 5\ 7 = 235.857$	$4\ 5\ 6\ 7 - 2\ 4\ 6\ 8 = 454.232$

••

Cumpletescha ils diembers avon il segn d'equaziun culs puncts decimals aschia che las equaziuns constattan.

$9\ 8\ 7\ 6 + 5\ 4\ 3 + 2\ 1\ 0 = 17.406$	$2\ 4\ 6\ 8 - 3\ 5\ 7 - 4\ 0\ 8 = 239.15$
$9\ 8\ 7\ 6 + 5\ 4\ 3 + 2\ 1\ 0 = 1014.03$	$2\ 4\ 6\ 8 - 3\ 5\ 7 - 4\ 0\ 8 = 170.3$
$9\ 8\ 7\ 6 + 5\ 4\ 3 + 2\ 1\ 0 = 363.06$	$2\ 4\ 6\ 8 - 3\ 5\ 7 - 4\ 0\ 8 = 2423.63$

•

Elegia ina metoda adattada e quenta ora. Noda tes pass quintar ni dessegna sil streh da quintar.

$$3.407 + 4.793 =$$

$$61.5 - 20.85 =$$

• •

Elegia ina metoda adattada e quenta ora. Noda tes pass da quintar ni dessegna sil streh da quintar.

$$8.92 + 7.053 + 0.107 =$$

$$715.2 - 37.553 =$$

Multiplicar e divider

•

Quenta ora.	
$4 \cdot 45 =$	$360 : 90 =$
$4 \cdot 0.45 =$	$36 : 90 =$

••

Quenta ora.	
$50 \cdot 66 =$	$720 : 80 =$
$500 \cdot 6.6 =$	$72 : 800 =$

•

Las cefras dil resultat ein correctas. Ei maunca denton il punct decimal. Metta il punct decimal el dretg liug.	
$7 \cdot 48.03 = 3\ 3\ 6\ 2\ 1$	$238.32 : 6 = 3\ 9\ 7\ 2$
$30 \cdot 54.017 = 1\ 6\ 2\ 0\ 5\ 1$	$312.12 : 40 = 7\ 8\ 0\ 3$

••

Las cefras dil resultat ein correctas Ei maunca denton il punct decimal. Metta il punct decimal el dretg liug.	
$43 \cdot 28.71 = 1\ 2\ 3\ 4\ 5\ 3$	$388.62 : 15 = 2\ 5\ 9\ 0\ 8$
$350 \cdot 8.328 = 2\ 9\ 1\ 4\ 8$	$109\ 650 : 6000 = 1\ 8\ 2\ 7\ 5$

Elegia ina metoda adattada e quenta ora.	
$5 \cdot 12.035 =$	$20.24 : 8 =$

Elegia ina metoda adattada e quenta ora.	
$15 \cdot 7.84 =$	$67.8 : 12 =$

Calcular approximativamein

•

Tgeinins dils treis diembers schaian il pli damaneivel dil resultat dil quen? Calclescha approximativamein e cruschescha.

$$6759 + 5384 \approx$$

☐ 11 000 ☐ 12 000 ☐ 13 000

$$29\,204 - 8975 \approx$$

☐ 20 000 ☐ 21 000 ☐ 22 000

$$27 \cdot 3317 \approx$$

☐ 60 000 ☐ 90 000 ☐ 120 000

$$4776 : 8 \approx$$

☐ 500 ☐ 600 ☐ 700

••

Tgeinins dils treis diembers schaian il pli damaneivel dil resultat dil quen? Calclescha approximativamein e cruschescha.

$$8.693 + 1.542 + 14.819 \approx$$

☐ 24 ☐ 25 ☐ 26

$$730.59 - 718.62 \approx$$

☐ 10 ☐ 11 ☐ 12

$$53 \cdot 281.3 \approx$$

☐ 10 000 ☐ 12 500 ☐ 15 000

$$6922.8 : 36 \approx$$

☐ 100 ☐ 200 ☐ 300

•

Determinescha cun in quen da calcular approximativamein circa in resultat.

$$9905 + 8517 \approx \dots\dots\dots 160.92 + 36.48 \approx \dots\dots\dots$$

$$38 \cdot 421 \approx \dots\dots\dots 12 \cdot 0.837 \approx \dots\dots\dots$$

••

Determinescha cun in quen da calcular approximativamein circa in resultat.

$$48.783 + 818.6 + 2.93 \approx \dots\dots\dots 188.43 - 49.07 \approx \dots\dots\dots$$

$$237 \cdot 17.21 \approx \dots\dots\dots 38.448 : 48 \approx \dots\dots\dots$$

Quintar flexiblamein

•

Determinescha la summa dils sis diembers. Ponderscha igl emprend co ti vuls quintar.	
450	19.6
452	21.6
454	24.6
456	18.6
458	22.6
460	16.6

••

Determinescha la summa dils nov diembers. Ponderscha igl emprend co ti vuls quintar.	
35 045	1.083
65 078	0.056
83 091	1.092
62 022	0.012
17 027	1.077
44 044	0.008
21 055	1.024
38 073	0.039
79 009	1.041

•

Quenta ora. Ponderscha igl emprem co ti vuls quintar
$800 \cdot 2.1 \cdot 0.5 =$
$40 \cdot 0.225 =$
$99 \cdot 1.7 =$

••

Quenta ora. Ponderscha igl emprem co ti vuls quintar.
$4.4 \cdot 0.8 \cdot 500 =$
$250 \cdot 3.5 \cdot 0.2 \cdot 16 =$
$990 \cdot 1.58 =$

Tiarms e parentesas

•

Dessegna ina plonta da quintar e quenta ora.

$$480 - 360 : 6 = \dots\dots\dots$$

$$664 + 112 \cdot 3 = \dots\dots\dots$$

••

Dessegna ina plonta da quintar e quenta ora.

$$30 \cdot 25 - 15 \cdot 8 = \dots\dots\dots$$

$$2200 - 125 \cdot (43 - 37) = \dots\dots\dots$$

•

Noda in tiarm che va a prau cul maletg dil quadrel. Determinescha cons puncts ein da veser totalmein.



••

Dessegna in maletg dil quadrel che va a prau cul tierm.	
$2 + 4 \cdot (1 + 5)$	$2 \cdot (3 \cdot 3 + 2 \cdot 5)$

•/••

Noda in tierm cun plirs diembers, segns d'operaziun e parentesas. Dessegna la plonta da quintar e quenta ora.

•/••

Noda in tierm. Dessegna in maletg dil quadrel che va a prau cul tierm.

Equaziuns e nunenconuschentas

•

Tgei diember sto ti nudar per che l'equaziun constetti?	
$60 + 20 \cdot \dots = 200$	$400 : \dots - 40 = 10$

••

Tgei diember sto ti nudar per che l'equaziun constetti?	
$7 \cdot \dots + 9 \cdot 1.2 = 25.5$	$40.4 : (100 : (27.5 - \dots)) = 10.1$

•

Cruschescha tut ils diembers che ti sas metter ella inequaziun.	
0.7 1.1 1.5 1.9 2.3 8 · > 14	4.1 4.3 4.5 4.7 4.9 35.8 – < 31.5

••

Cruschescha tut ils diembers che ti sas metter ella inequaziun.	
0.11 0.12 0.13 0.14 0.15 3.7 + 40 · < 8.8	64 64.5 65 65.5 66 44 – : 5 > 31